Letters in Applied Microbiology

Edited by

D.E.S. Stewart-Tull, M.J.B. Paynter,

C.R. Harwood & P.J. Blackall

Volume 30, 2000

Copyright © 2000, by The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

CODEN LAMIE7 ISSN 0266-8254

Published by
Blackwell Science Ltd
OXFORD LONDON EDINBURGH BOSTON
MELBOURNE BERLIN VIENNA

Printed in Great Britain

Contents

Volume 30, Number 1, January 2000

1 Instructions to authors

5 Randomly amplified polymorphic DNA (RAPD) PCR for the identification of yeasts isolated from dairy products *C. Andrighetto, E. Psomas, N. Tzanetakis, G. Suzzi & A. Lombardi*

10 The mucus binding of *Bifidobacterium lactis* Bb12 is enhanced in the presence of *Lactobacillus* GG and *Lact. delbrueckii* subsp. *bulgaricus A.C. Ouwehand, E. Isolauri, P.V. Kirjavainen, S. Tölkkö & S.J. Salminen*

14 Analysis of ammonia-oxidizing bacteria populations in acid forest soil during conditions of moisture limitation *R.C. Hastings, C. Butler, I. Singleton, J.R. Saunders & A.J. McCarthy*

19 Selection of microbial populations degrading recalcitrant hydrocarbons of gasoline by monitoring of culture-headspace composition *F. Solano-Serena, R. Marchal, J.-M. Lebeault & J.-P. Vandecasteele*

23 Osmoprotectants and cryoprotectants for *Listeria monocytogenes D.O. Bayles & B.J. Wilkinson*

28 Detection of GroEL in activated sludge: a model for detection of system stress *A.J. Duncan, C.B. Bott, K.C. Terlesky & N.G. Love*

33 Biodetoxification of silver–cyanide from electroplating industry wastewater *Y.B. Patil & K.M. Paknikar*

38 Development of simple and efficient protocol for isolation of plasmids from mycobacteria using zirconia beads *M.V.V.S. Madiraju, M.-H. Qin & M. Rajagopalan*

42 Triton X-114 phase partitioning for the isolation of a pediocin-like bacteriocin from *Carnobacterium divergens A. Métivier, P. Boyaval, F. Duffes, X. Dousset, J.-P. Compoint & D. Marion*

47 The development of an ultrasonic apparatus for the non-invasive and repeatable removal of fouling in food processing equipment *N. Oulahal-Lagsir, A. Martial-Gros, E. Boistier, L.J. Blum & M. Bonneau*

53 A simple method for extraction of fungal genomic DNA *T.H. Al-Samarrai & J. Schmid*

57 Growth of *Aeromonas* species on increasing concentrations of sodium chloride *A.P.L. Delamare, S.O.P. Costa, M.M. da Silveira & S. Echeverrigaray*

61 Microbial populations and volatile compounds in the 'bone taint' spoilage of dry cured ham *C. García, A. Martín, M.L. Timón & J.J. Córdoba*

67 Hydrocarbon degradation and protease production by *Nocardiopsis* sp. NCIM 5124 *V.S. Dixit & A. Pant*

70 A rapid biochemical test to aid identification of *Mycoplasma mycoides* subsp. *mycoides* small colony (SC) strains *P. Rice, B.M. Houshaymi, R.A.J. Nicholas & R.J. Miles*

75 An RNA transcription-based amplification technique (NASBA) for the detection of viable *Salmonella enterica S.A. Simpkins, A.B. Chan, J. Hays, B. Pöpping & N. Cook*

80 Molecular identification of *Dunaliella* sp. utilizing the 18S rDNA gene *J. Olmos, J. Paniagua & R. Contreras*

85 Quantification of micro-organisms in binary mixed populations by Fourier-transform infrared (FT-IR) spectroscopy *H. Oberreuter, F. Mertens, H. Seiler & S. Scherer*

90 Phagocytosis of mycobacteria by U937 cells: a rapid method for monitoring uptake and separating phagocytosed and free bacteria by magnetic beads *J. Whyte, A.D.G. Roberts, K.A. Morley, R.J. Sharp & P.D. Marsh*

Volume 30, Number 2, February 2000

95 Quantal microbiology *E.Y. Bridson & G.W. Gould*

99 An evaluation of potential interferences in a fluorimetric assay for the rapid detection of thermotolerant coliforms in sewage *C.M. Davies & S.C. Apte*

105 Antimicrobial activity of *Mitracarpus scaber* extract and isolated constituents *G. Bisignano, R. Sanogo, A. Marino, R. Aquino, V. D'Angelo, M.P. Germanò, R. De Pasquale & C. Pizza*

109 Isolation of shiga toxin-producing *Escherichia coli* (STEC) from foods using EHEC agar *J.A. Hudson, C. Nicol, J. Capill & J. Bennett*

114 Response of *Micromonospora echinospora* (NCIMB 12744) spores to heat treatment with evidence of a heat activation phenomenon *P.A. Hoskisson, G. Hobbs & G.P. Sharples*

118 Growth of *Escherichia coli* O157 in poorly fermented laboratory silage: a possible environmental dimension in the epidemiology of *E. coli* O157 *D.R. Fenlon & J. Wilson*

122 Simultaneous molecular subtyping and shiga toxin gene detection in *Escherichia coli* using multiplex polymerase chain reaction *K.L. Hopkins & A.C. Hilton*

126 Development of a rapid method for the identification of *Lactobacillus* spp. isolated from naturally fermented Italian sausages by using polymerase chain reaction–temperature gradient gel electrophoresis *L. Cocolin, M. Manzano, C. Cantoni & G. Comi*

130 Development of a rapid positive/absent test for coliforms using sensitive bioluminescence assay *I. Masuda-Nishimura, S. Fukuda, A. Sano, K. Kasai & H. Tatsumi*

136 The viable but non-culturable state of wine micro-organisms during storage *V. Millet & A. Lonvaud-Funel*

142 The effects of preslaughter washing on the reduction of *Escherichia coli* O157:H7 transfer from cattle hides to carcasses during slaughter *C.M. Byrne, D.J. Bolton, J.J. Sheridan, D.A. McDowell & I.S. Blair*

146 Chitinolytic activity of actinomycetes from a cerrado soil and their potential in biocontrol *R.C. Gomes, L.T.A.S. Semêdo, R.M.A. Soares, C.S. Alviano, L.F. Linhares & R.R.R. Coelho*

151 *Escherichia coli* O26 detection from foods using an enrichment procedure and an immunomagnetic separation method *Y. Hara-Kudo, H. Konuma, H. Nakagawa & S. Kumagai*

155 Low surfactant concentration increases fungal mineralization of a polychlorinated biphenyl congener but has no effect on overall metabolism *L.A. Beaudette, O.P. Ward, M.A. Pickard & P.M. Fedorak*

161 Construction and expression of functional multi-domain polypeptides in *Escherichia coli*: expression of the *Neurospora crassa* metallothionein gene *J.M. Mauro & M. Pazirandeh*

167 Purification and characterization of acetyl esterase from *Candida guilliermondii P. Basaran & Y.D. Hang*

Volume 30, Number 3, March 2000

173 Selective control of lactobacilli in kimchi with nisin *M.H. Choi & Y.H. Park*

178 A simple HPLC method for analysing diaminopimelic acid diastereomers in cell walls of Gram-positive bacteria *J. McKerrow, S. Vagg, T. McKinney, E.M. Seviour, A.M. Maszenan, P. Brooks & R.J. Seviour*

183 Medium-size droplets of methyl ricinoleate are reduced by cell-surface activity in the γ-decalactone production by *Yarrowia lipolytica Y. Waché, K. Bergmark, J.-L. Courthaudon, M. Aguedo, J.-M. Nicaud & J.-M. Belin*

188 Properties and stability of glycerophosphate oxidase isolated from a mutant strain of *Aerococcus viridans M. Macková, J. Košťál & K. Demnerová*

192 Growth of *Helicobacter pylori* in various liquid and plating media *T.H. Stevenson, A. Castillo, L.M. Lucia & G.R. Acuff*

197 *Lactobacillus farciminis* MD, a newer strain with potential for bacteriocin and antibiotic assay *P.M. Halami, A. Chandrashekar & K. Nand*

203 Acceleration of hyaluronidase production in the course of batch cultivation of *Clostridium perfringens* can be achieved with bacteriolytic enzymes *V. Žukaitė & G.A. Biziulevičius*

207 Development of a combined PCR-culture technique for the rapid detection of *Arcobacter* spp. in chicken meat *I. González, T. García, A. Antolín, P.E. Hernández & R. Martín*

213 Frequency of *Escherichia coli* strains producing the cytotoxic necrotizing factor (CNF1) in nosocomial urinary tract infections *L. Landraud, M. Gauthier, T. Fosse & P. Boquet*

217 Detection of *Escherichia coli* O157:H7 in heifers' faecal samples using an automated immunoconcentration system *C. Vernozy-Rozand, P. Feng, M.-P. Montet, S. Ray-Gueniot, L. Villard, C. Bavai, A. Meyrand, C. Mazuy & V. Atrache*

223 Caged ATP — an internal calibration method for ATP bioluminescence assays *R.M. Calvert, H.C. Hopkins, M.J. Reilly & S.J. Forsythe*

228 Variations in virulence between different electrophoretic types of *Listeria monocytogenes B. Norrung & J.K. Andersen*

233 Activity of hydrolysed lactoferrin against foodborne pathogenic bacteria in growth media: the effect of EDTA *J. Branen & P.M. Davidson*

238 Phylogenetic characterization of several *para*- and *meta*-PCB dechlorinating *Clostridium* species: 16s rDNA sequence analyses *L.-H. Hou & S.K. Dutta*

244 Effect of extra aeration on extracellular enzyme activities and ATP concentration of dairy *Pseudomonas fluorescens A. Jaspe, P. Palacios, L. Fernández & C. Sanjosé*

249 Sensitivity of nisin-resistant *Listeria monocytogenes* to heat and the synergistic action of heat and nisin *K.D. Modi, M.L. Chikindas & T.J. Montville*

254 Characteristics of a sporulation stimulating factor from *Clostridium perfringens* type A *W.-J. Tseng & R.G. Labbe*

258 Cluster analysis of AP-PCR generated DNA fingerprints of *Vibrio vulnificus* isolates from patients fatally infected after consumption of raw oysters *M.C.L. Vickery, N. Harold & A.K. Bej*

263 Isolation of *Bacillus thuringiensis* from Northern Victoria Land, Antarctica *G. Forsyth & N.A. Logan*

Volume 30, Number 4, April 2000

267 Probelia™ PCR system for rapid detection of *Salmonella* in milk powder and ricotta cheese *J. Wan, K. King, H. Craven, C. McAuley, S.E. Tan & M.J. Coventry*

272 Influence of the growth rate calculation on the relationship between growth rate and temperature *D. Demetz & P. Dantigny*

277 Calmodulin mediated activation of acetyl-CoA carboxylase during aflatoxin production by *Aspergillus parasiticus J. Praveen Rao & C. Subramanyam*

282 Rapid transformation of high cellulase-producing mutant strains of *Trichoderma reesei* by microprojectile bombardment *B.W. Hazell, V.S.J. Te'o, J.R. Bradner, P.L. Bergquist & K.M.H. Nevalainen*

287 Genetic polymorphism in *Xanthomonas albilineans* strains originating from 11 geographical locations, revealed by two DNA probes *Y. Jaufeerally-Fakim, J.C. Autrey, M.J. Daniels & A. Dookun*

294 The outer membrane of *Pseudomonas aeruginosa* NCTC 6749 contributes to its tolerance to the essential oil of *Melaleuca alternifolia* (tea tree oil) *C.M. Mann, S.D. Cox & J.L. Markham*

298 The solubility of the ribotoxin α-sarcin, produced as a recombinant protein in *Escherichia coli*, is increased in the presence of thioredoxin *L. García-Ortega, J. Lacadena, V. Lacadena, M. Masip, C. de Antonio, A. Martínez-Ruiz & Á. Martínez del Pozo*

303 An evaluation of a laser scanning device for the detection of *Cryptosporidium parvum* in treated water samples *P. Rushton, B.M. Place & N.F. Lightfoot*

308 Adherence of *Fusobacterium necrophorum* subsp. *necrophorum* to ruminal cells derived from bovine rumenitis *Y. Takayama, M. Kanoe, K. Maeda, Y. Okada & K. Kai*

312 Rapid detection of malto-oligosaccharide-forming bacterial amylases by high performance anion-exchange chromatography *L. Duedahl-Olesen, K.L. Larsen & W. Zimmermann*

317 Proteolytic activity of ruminal digesta during the feeding cycle in sheep receiving grass hay/concentrate or maize silage/concentrate diets *R.J. Wallace, S.J.A. Wallace & N. McKain*

320 Comparison of methods for the recovery and detection of low levels of injured *Salmonella* in ice cream and milk powder *C.L. Baylis, S. MacPhee & R.P. Betts*

325 Expression of *Bacillus subtilis* phytase in *Lactobacillus plantarum* 755 *J. Kerovuo & S. Tynkkynen*

330 A competitive PCR-based method for the detection and quantification of *Erwinia carotovora* subsp. *atroseptica* on potato tubers *L.J. Hyman, P.R.J. Birch, A. Dellagi, A.O. Avrova & I.K. Toth*

336 Alizarin-β-D-galactoside: a new substrate for the detection of bacterial β-galactosidase *A.L. James, J.D. Perry, K. Chilvers, I.S. Robson, L. Armstrong & K.E. Orr*

341 Letter to the Editor

Volume 30, Number 5, May 2000

345 Immunoreactivity of peptides generated by limited proteolysis of 71-kDa cell wall protein of *Mycobacterium tuberculosis* H_{37}Ra using PLG-microparticles *N. Dhiman & G.K. Khuller*

351 Phenotypic characteristics of rhizobia isolates nodulating *Acacia* species in the arid and Saharan regions of Morocco *K. Zerhari, J. Aurag, B. Khbaya, D. Kharchaf & A. Filali-Maltouf*

358 Epidemiological typing of *Bacillus cereus* by amplified fragment length polymorphism *G. Ripabelli, J. McLauchlin, V. Mithani & E.J. Threlfall*

364 Cytotoxicity of alkaline-tolerant dairy-associated *Bacillus* spp. *D. Lindsay, F.M. Mosupye, V.S. Brözel & A. von Holy*

370 Amino acid fermentation in non-starter *Lactobacillus* spp. isolated from Cheddar cheese *J.D. Tammam, A.G. Williams, J. Noble & D. Lloyd*

375 Secondary structure analysis of the dissimilatory sulphite reductase in *Desulfovibrio desulfuricans R. Morse, G.R. Gibson & M.D. Collins*

379 Extraction methods and bioautography for evaluation of medicinal plant antimicrobial activity *A. Nostro, M.P. Germanò, V. D'Angelo, A. Marino & M.A. Cannatelli*

385 Effect of ammonia on the growth of *Bacillus* species and some other bacteria *A. Leejeerajumnean, J.M. Ames & J.D. Owens*

390 The relationship between hide cleanliness and bacterial numbers on beef carcasses at a commercial abattoir *J.M. McEvoy, A.M. Doherty, M. Finnerty, J.J. Sheridan, L. McGuire, I.S. Blair, D.A. McDowell & D. Harrington*

396 Microbial degradation and detoxification of high molecular weight polycyclic aromatic hydrocarbons by *Stenotrophomonas maltophilia* strain VUN 10,003 *A.L. Juhasz, G.A. Stanley & M.L. Britz*

402 Treatment of sanitary-important bacteria by bacteriocin substance V24 in cattle dung water *A. Lauková, P. Juriš, Z. Vasilková & I. Papajová*

406 Use of *Agrobacterium* expressing green fluorescent protein to evaluate colonization of sonication-assisted *Agrobacterium*-mediated transformation-treated soybean cotyledons *K.R. Finer & J.J. Finer*

411 Use of 8-hydroxyquinoline-β-D-glucuronide for presumptive identification of Shiga toxin-producing *Escherichia coli* O157 *R.D. Reinders, P.G.H. Bijker, J.H.J. Huis in't Veld & F. van Knapen*

415 Citrate can partially replace carbon dioxide required for growth of *Lactococcus lactis* subsp. *lactis* biovar. *diacetylactis C.M. Henriksen, M. Curic & D. Nilsson*

419 RAPD-fingerprinting of *Serratia marcescens* after formaldehyde inactivation of DNase activity *A. Polyzou, D. Sofianou, S. Pournaras & A. Tsakris*

422 Erratum

Volume 30, Number 6, June 2000

423 Development of 16S rDNA-based PCR assay for detecting *Centipeda periodontii* and *Selenomonas sputigena S. Sawada, S. Kokeguchi, S. Takashiba & Y. Murayama*

427 Comparative analysis of denaturing gradient gel electrophoresis and temporal temperature gradient gel electrophoresis in separating *Escherichia coli uidA* amplicons differing in single base substitutions *A.H. Farnleitner, N. Kreuzinger, G.G. Kavka, S. Grillenberger, J. Rath & R.L. Mach*

432 Solar photo-oxidative disinfection of drinking water: preliminary field observations *R.H. Reed, S.K. Mani & V. Meyer*

437 Do stresses encountered during the smoked salmon process influence the survival of the spoiling bacterium *Shewanella putrefaciens? L. Leblanc, F. Leroi, A. Hartke & Y. Auffray*

443 Adenylate kinase amplification of ATP bioluminescence for hygiene monitoring in the food and beverage industry *A.J. Corbitt, N. Bennion & S.J. Forsythe*

448 The differentiation of *Carnobacterium divergens* using the random amplification of polymorphic DNA polymerase chain reaction technique *S. Lai, H. Shojaei & L.N. Manchester*

453 Stimulatory effect of honey on multiplication of lactic acid bacteria under *in vitro* and *in vivo* conditions *T.R. Shamala, Y. Shri Jyothi & P. Saibaba*

456 Survey for psychrotrophic bacterial pathogens in minimally processed lettuce *E.A. Szabo, K.J. Scurrah & J.M. Burrows*

461 Heat inactivation of *Salmonella typhimurium* DT104 in beef as affected by fat content *V.K. Juneja & B.S. Eblen*

468 A comparison of the Bioscreen method and microscopy for the determination of lag times of individual cells of *Listeria monocytogenes Y. Wu, M.W. Griffiths & R.C. McKellar*

473 Anti-adhesive activity of sulphated exopolysaccharides of microalgae on attachment of red sore disease-associated bacteria and *Helicobacter pylori* to tissue culture cells *M.A. Guzman-Murillo & F. Ascencio*

479 Establishing a campylobacter-free pig population through a top-down approach *M.J.B.M. Weijtens, H.A.P. Urlings & J. Van der Plas*

485 Index